Zoological Record

Vol. 87, Sect. 5, 1950

ECHINODERMA

COMPILED BY

A. G. BRIGHTON, M.A.

PRINTED FOR THE ZOOLOGICAL SOCIETY OF LONDON SOLD AT THEIR HOUSE IN REGENT'S PARK LONDON, N.W.8.

PRICE TWO SHILLINGS AND SIXPENCE

June, 1952

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

| | | | | | | | 8. | d. | |
|-----|----------------|----------|---------|------|-------|-----|----|----|--|
| 1. | Comprehensive | Zoology | ••• | | | | 2 | 6 | |
| 2. | Protozoa | | | | | | 7 | 6 | |
| 3. | Porifera | | | | | | 2 | 0 | |
| 4. | Coelenterata | | | | · * | | 4 | 0 | |
| 5. | Echinoderma | | | | | | 2 | 6 | |
| 6. | Vermes | | | | | | 10 | 0 | |
| 7. | Brachiopoda | | | | | | 3 | 0 | |
| 8. | Bryozoa | | | | | | 2 | 0 | |
| 9. | Mollusca | | | | | | 10 | 0 | |
| | Crustacea | | | | | | 5 | 0 | |
| | Trilobita | | 1 | | | | 3 | 0 | |
| | Arachnida | | | | | | 7 | 6 | |
| | Insecta | | - 6 | | | | 30 | 0 | |
| | Protochordata | | -1 | | | ••• | | | |
| | To: | *** | | 1000 | | | 2 | 0 | |
| | | D | - 111 | | | | 7 | 0 | |
| | Amphibia and | Reptilia | | | | | 7 | 6 | |
| | Aves | | • • • • | | | | 7 | 6 | |
| | Mammalia | | 1 | | | | 7 | 6 | |
| 19. | List of New Ge | nera and | Subge | nera | | | 3 | 0 | |
| * 0 | 14-1-11- | C 27 | 0 | | 1.1 T | | 0 | 77 | |

^{*} Obtainable only from the Commonwealth Institute of Entomology, 41, Queen's Gate, London, S.W.7.

5. ECHINODERMA

COMPILED BY

A. G. BRIGHTON, M.A.

CONTENTS

| | | | | | PAGE |
|----|----------|------|------|------|-------|
| I. | TITLES | | | | 1 |
| | Subject | | | | |
| | SYSTEMAT | | | | |

I.—TITLES

- 1.—Alloiteau, J. & Charles, R. P. Quelques fossiles nouveaux ou peu connus dans le Lias de Provence. II.—Sur quatre espèces d'échinides peu connues. Mém. Soc. d'Études Paléont. Palethnogr. Provence 1 2 1948 pp. 4–5 pl. i figs. 5–8.
- 2.—Ascione, R. Azione di ioni imbibenti e coloranti vitali sullo sviluppo embrionale. Acta pontif. Acad. Scient. 9 1945 pp. 17–20.
- 3.—Balavoine, P. Sur la présence du genre Antedon dans le Lutétien de l'Eure. Bull. Soc. géol. Fr. (5) 20 1950 p. 49 pl. iiB figs. 1-2.
- 4.—Baldwin, E. & Yudkin, W. H. The annelid phosphagen: with a note on phosphagen in Echinodermata and Protochordata. Proc. roy. Soc. Lond. 136B 1950 pp. 614-631.
- 5.—Barnes, H. & Rothschild, Lord. A note on the copper content of seaurchin semen and sea water. J. exp. Biol., Cambridge 27 1950 pp. 123-125.
- 6.—Beljaev, G. M. Normal indicators of the osmotic pressure in the coelometic liquid of the invertebrates of the Barents Sea. C.R. Acad. Sci. Moscou N.S. 71 1950 pp. 569-572. [Russian].
- 7.—Blum, H. F. & Price, J. P. Delay of cleavage of the *Arbacia* egg by ultraviolet radiation. J. gen. Physiol., Baltimore 33 1950 pp. 285–304 figs. 1–9 pl. ii.

8.—Blum, H. F. & Price, J. P. Time relationship in the cleavage of the normal fertilized egg of Arbacia punctulata. J. gen. Physiol., Baltimore 33-1950 pp. 305-310 figs. 1-2.

Calvin, J. see Ricketts, E. F.

9.—Carrasco, I. P. & Lizáur y Roldan, J. de. Estudios sobre prolongación de cuencas hulleras. Notes sobre el Mioceno del Vallee Bético (sondeo de Bujalance). Bol. Inst. Geol. Esp. 62 1949 pp. 273–296 pls. 1–5, 1 map and 1 geol. section.

Charles, R. P. see Alloiteau, J.

- 10.—Chauvel, J. Présence du genre Calix Rouault en Bohême (Calix purkynei Kloucek sp.). C.R. Soc. géol. min. Bretagne 3 1939 for 1937 p. 42.
- 11.—Chauvel, J. Recherches sur les Cystoïdes et les Carpoïdes Amoricains. Mém. Soc. géol. min. Bretagne 5 1941 pp. 1–286 figs. 1–101 pls. i–vii.
- 12.—Checchia-Rispoli, G. Monografia degli "Epiaster" della Somalia Italiana. Mem. Accad. Lincei (8) 1 2 1948 pp. 1–23 pls. i–iii.
- 13.—Child, C. M. Differential modification of sand-dollar development in relation to temperature. Physiol. Zoöl., Chicago 23 1950 pp. 140–168 figs. 1–85.

- 14.—Chronic, B. J. Part 2. Invertebrate Palaeontology (excepting Fusulinids and Corals). [in] Newell, N. D., Chronic, B. J. & Roberts, T. G. Upper Palaeozoic of Peru 1949 pp. 46–173. [Echinoderma at pp. 172–173 pl. xxxv figs. 5–17].
- 15.—Clark, A. H. Echinoderms from the Cocos-Keeling Islands. Bull. Raffles Mus., Singapore No. 22 1950 pp. 53–67 pl. xv.
- 16.—Cline, L. M. & Heuer, E. The Codaster alternatus—Codaster pyramidatus group of Blastoids from the Mid-Devonian of North America. J. Paleont. Menasha, Wis. 24 1950 pp. 154–173 figs. 1-6 pls. xxvii-xxviii.
- 17.—Collignon, M. Recherches sur les faunes Albiennes de Madagascar. Bull. Géol. Madagascar Fasc. 1 1949 pp. 33–38.
- 18.—Collignon, M. Recherches sur les faunes albiennes de Madagascar. II.—Les Echinides d'Ambarimaninga. Ann. géol. Serv. Mines Madagascar Fasc. 17 1950 pp. 5–17 fig. 1 pls. i–ii.
- 19.—Cuénot, L. & Dawydoff, C. Embranchement des Échinodermes [in] Grassé, P. P. Traité de Zoologie, Paris 11 1948 pp. 3–363 figs. 1–399.
- 20.—Dan, J. C. Sperm entrance in echinoderms, observed with the phase contrast microscope. Biol. Bull. Woods Hole 99 1950 pp. 399–411 figs. 1–9.
- 21.—Dawbin, W. H. A guide to the Holothurians of New Zealand. Tuatara, Wellington N.Z. 3 1950 pp. 33–41 figs. 1–22.

Dawydoff, C. see Cuénot, L.

- 22.—Deflandre, G. & Deflandre-Rigaud, M. La nomenclature des fragments fossiles (organites et sclérites) d'invertebrés. Bull. Zool. Nomencl., London 3 1950 p. 167.
- 23.—Deflandre-Rigaud, M. Les sclérites rotiformes des Holothurides fossiles. Ann. Paléont., Paris 36 1950 pp. 3-45 figs. 1-110 pl. i.
- **Deflandre-Rigaud,** M. see Deflandre, G.
- 24.—Durham, J. W. 1940 E. W. Scripps cruise to the Gulf of California. Pt. ii. Megascopic Paleontology and marine stratigraphy. Mem. Geol. Soc. Amer., Washington No. 43 1950 pp. 1–216 pls. i–xlviii 9 tables.

- 25.—Einarsson, H. Echinoderms. Zoology of Iceland 4 Part 70 1948 pp. 1-67 figs. 1-7.
- 26.—Engel, H. On Arbacina sphaeroideus (Nyst) and on a collection of Cidarid spines from wells in the Netherlands (Miocene and Oligocene). Med. Geol. Stichting N.S. 3 1949 pp. 33–36 figs. 1–5.
- 27.—Fell, H. B. New Zealand littoral Ophiuroids. Tuatara, Wellington N.Z. 2 1949 pp. 121–129 figs. 1–22.
- 28.—Fell, H. B. A Triassic Echinoid from New Zealand. Trans. Proc. Roy. Soc. N.Z. 78 1950 pp. 83–85 figs. 1–3.
- 29.—Fell, H. B. A key to the sea urchins of New Zealand. Additional species. Tuatara, Wellington N.Z. 3 1950 p. 42.
- 30.—Fell. H. B. New Zealand Crinoids. Tuatara, Wellington N.Z. 3 1950 pp. 78–85 figs. 1–14.

Giese, A. C. see Wells, P. H.

- 31.—Glaser, O. Note on the growth of arms in the pluteus of *Arbacia punctulata*. Biol. Bull. Woods Hole 98 1950 pp. 34–35 fig. 1.
- 32.—Goodwin, T. W. Carotenoids and reproduction. Biol. Rev., Cambridge 25 1950 pp. 391–413. [Echinoderma at pp. 399–400].
- 33.—Goodwin, T. W. and Srisukh, S. A study of the pigments of the searchins, Echinus eszulentus L. and Paracentrotus lividus Lamarck. Bio-Chem. J., Cambridge 47 1950 pp. 69–76.

Grassé, P. P. see Cuénot, L.

34.—Gross, K. Ein neuer Fund von Lodanella mira Kayser im Unterdevon des Siegerlandes. N. Jahrb. Min. Geol. Paläont. Monatshefte B Stuttgart 1948 pp. 40–42 fig. l.

Gustafson, T. see Wicklund, E.

- 35.—Gustafson, T. & Sävhagen, R. Studies on the determination of the oral side of the sea-urchin egg. 1. The effects of some detergents on the development. Ark. zool., Stockholm 42A 10 1950 pp. 1–6 figs. 1–2.
- 36.—Haaf, E. Ten. La couverture anale de *Hypocrinus*. Proc. K. ned. Akad. Wet. Amst. 53 1950 pp. 891–893 figs. 1–4.

37.—Harding, C. V. Colloidal properties of nucleus. I. Effect of temperature on nuclear viscosity in the starfish egg. Proc. Soc. exp. Biol. **70** 1949 pp. 705–708.

Hashimoto, W. see Nisiyama, S.

38.—Hayashi, R. Contributions to the classification of the sea-stars of Japan. II. Forcipulata, with the note on the relationships between the skeletal structure and respiratory organs of the sea-stars. J. Fac. Sci. Hokkaido Univ. (Zool.) 8 1943 pp. 133–277 figs. 1–115 pls. i–xi.

Heuer, E. see Cline, L. M.

- 39.—Holme, N. A. The bottom fauna of Great West Bay. J. Mar. biol. Ass., Plymouth 29 1950 pp. 163–183 fig. 1 tables i-xii.
- 40.—Hörstadius, S. Transplantation experiments to elucidate interactions and regulations within the gradient system of the developing sea urchin egg. J. exp. Zool. 113 1950 pp. 245–276 figs, 1–14.
- 41.—Hultin, T. Agglutination of sea urchin eggs by nucleoproteins. Ark. Kemi, Stockholm 1 1950 pp. 419–423.
- 42.—Immers, J. On the heparin-like effect of fertilizin from sea-urchin eggs on blood coagulation and the modifying action of basic proteins and cephalin on the effect. Ark. Zool., Stockholm 42A 6 1950 pp. 1–9 figs. 1–3.

Jakovlev, N. N. see Yakovlev, N. N.

- 43.—Kaiser, C. P. Stratigraphy of Lower Mississippian rocks in Southwestern Missouri. Bull. Amer. Assoc. Petrol. Geol. Oklahoma 34 1950 pp. 2133–2175 text-figs. 1–8.
- 44.—Kalabis, V. Monografie Clypeasterů z Československého Miocénu. Rozpr. Stát. Geol. Ceskos. Rep. Praha 11 1949 pp. 1–75 pls. i–viii [French translation at pp. 77–115].
- 45.—Kongiel, R. Les Echinocorys du Danien de Danemark de Suède et de Pologne. Trav. Serv. géol. Pologne 5 1949 pp. 1-89 figs. 1-61 pls. i-xviii 1 table.
- **46.—Kopac,** M. J. Cytoplasmic proteins. Ann. N.Y. Acad. Sci. **50** 1950 pp. 870–909 figs. 1–15.

- 47.—Krahl, M. E. Metabolic activities and cleavage of eggs of the sea urchin, *Arbacia punctulata*. A review, 1932–1949. Biol. Bull. Woods Hole 98 1950 pp. 175–217.
- 48.—Kuhn, O. Lehrbuch der Paläozoologie Stuttgart 1949. pp. v + 326 224 figs. [Echinoderma at pp. 50–89 figs. 36–53].
- 49.—Lakeman, R. On the crinoid nature of *Timorocidaris sphaeracantha* Wann, Proc. K. ned. Akad, Wet. Amst. 53 1950 pp. 100-108 figs, 1-8.
- 50.—Lehmann, W. M. Pentremitella osoleae n. g. n. sp., ein Blastoid aus dem unterdevonischen Hunsrückschiefer. N. Jahrb. Min. Geol. Paläont. Monatshefte B Stuttgart 1949 pp. 186–191 figs. 1–7.
- **51.—Liebman,** E. The leucocytes of *Arbacia punctulata*. Biol. Bull. Woods Hole **98** 1950 pp. 46–59 figs. 1–3 pls. i–ii.
- 52.—Lindberg, O. On surface reactions in the sea urchin egg. Exp. Cell. Res., N.Y. 1 1950 pp. 105-114 figs. tables.
- Lizáur y Roldan, J. de see Carrasco, I. P.
- 53.—Macfarlane, E. W. & Nadeau, L. V. Antagonism by cellular extracts of effects of respiratory poisons on onion roots and sea urchin eggs. Proc. Soc. exp. Biol. 67 1948 pp. 118-121.
- 54.—MacGinitie, G. E. & MacGinitie, N. Natural History of Marine Animals, New York 1949 pp. ix + 473 282 figs. [Echinoderma at pp. 221-251 figs. 84-110.]

MacGinitie, N. see MacGinitie, G. E.

- 55.—Malarodo, R. Segnalazione di un nuovo Crinoide Comatulide nel Paleogene veneto. Riv. ital. Paleont., Milano 56 1950 pp. 6-11 pl. i.
- **56.—Mann,** F. G. Biologia Antarctica Sudamericana, Santiago de Chile. 1948 pp. 1–364 figs. 1–115 pls. i–xlvii.
- 57.—Maxia, C. Prime osservazioni sull'azione dell'acido paraminobenzoico (vitamina H₁) sulle cellule germinali, sulla fecondazione e sugli stadi embrionali e larvali di "Paracentrotus lividus." Monit. zool. ital. 57 Suppl. 1950 pp. 226–228.

- 58.—Meléndez, B. Tratado de Paleontologia, 1. Invertebrados—1°. Animales Inferiores. Madrid 1947 pp. xxiii + 511 259 figs. ix pls. [Echinoderma at pp. 265–378 figs. 145–206].
- **59.**—**Metz,** C. B. Agglutination of sea urchin eggs and sperm by basic proteins. Proc. Soc. exp. Biol. **70** 1949 pp. 422–424.
- 60.—Monné, L. On the induced formation of chromosome-like structures within the cytoplasm of mature sea urchin eggs. Ark. zool., Stockholm 42A 4 1950 pp. 1-11 pl. i.
- 61.—Monné, L. Structural changes of the cell resulting from clotting and liquefaction. Ark. zool., Stockholm Second Ser. 1 1950 pp. 101–130 pls. i-iii.
- 62.—Monroy, A. A preliminary electrophoretic analysis of proteins and protein fractions in sea urchin eggs and their changes on fertilization. Exp. Cell. Res., N.Y. 1 1950 pp. 92–104 figs. tables.

Morellet, J. see Morellet, L.

- 63.—Morellet, L. & Morellet, J. Le Bartonien du Bassin de Paris. Mém. Carte Geol. Détail. Fr. 1948 pp. viii + 437 [Echinoidea listed on p. 23].
- 64.—Mortensen, T. Echinoidea. B.A.N.Z. Antarctic Research Expedition 1929–1931. Reports Ser. B. 4 10 1950 pp. 287–310 figs. 1–6 pls. iv–ix.
- 65.—Mortensen, T. A Monograph of the Echinoidea. V.1. Spatangoida I. Prosternata, Meridosternata, Amphisternata I. Palaeopneustidae, Palaeos tomatidae, Aëropsidae, Toxasteridae, Micrasteridae, Hemiasteridae. Copenhagen 1950 432 pp. 315 figs. 25 pls.
- 66.—Mortensen, T. New Echinoidea (Spatangoidea). Preliminary Notice. Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 1950 pp. 157–163.
- 67.—Mortensen, T. Pighude (Echinodermata) [in] Braestrup, F. W. Vorthands Dyreliv 2 Kobenhavn. Gyldendalske Boghandel. 1950 pp. 131-143 figs.
- 68.—Müller, A. H. Die Ophiuroideenreste aus dem Mucronatensenon von Rügen. Geologica, Berlin 5 1950 pp. 1-35 tables 1-11 pls. i-iii.

Nadeau, L. V. see Macfarlane, E. W.

- 69.—Navarro Cándido, A. Clasificación de los animales. Madrid, 1949, 317 pp. 164 figs. 26 pls. [Echinoderma at pp. 196–202 figs. 113–117].
- 70.—Newell, N. D. Phyletic size increase, an important trend illustrated by fossil invertebrates. Evolution, Lancaster, Pa. 3 1949 pp. 103–124. [Echinoderma at pp. 111–112].

Newell, N. D. see Chronic, B. J.

- 71.—Nisiyama, S. Two new species of the Toxasteridae from Japan. Short Papers Inst. Geol. Paleont. Tôhoku Univ., Sendai No. 1 1950 pp. 42–47 figs. 1–6.
- 72.—Nisiyama, S. Fossil Echinoidea from the Miyako Cretaceous. Short Pap. Inst. Geol. Paleont. Tôhoku Univ.,-Sendai No. 2 1950 pp. 29–38 figs. 1–3 pl. iv.
- 73.—Nisiyama, S. and Hashimoto, W. A new *Echinarachnius* from the Tertiary of Hokkaido. Short Pap. Inst. Geol. Paleont. Tôhoku Univ., Sendai No. 2 1950 pp. 39-42 figs. 1-3.
- 74.—Pérès, J.-M.. Recherches sur les pédicellaires glandulaires de *Sphaere*chinus granularis (Lamarck). Arch. Zool. exp. gen., Paris, Notes et Revue 86 1950 pp. 118–136 figs. 1–16.
- 75.—Plummer, F. B. The Carboniferous Rocks of the Llano Region of Central Texas. Univ. Texas Bull., Austin 4329 1950 117 pp. 13 figs. xxii pls.
- 76.—Praeger, R. C. Natural History of Ireland, London 1950 pp. 1-350 [Echinoderma at pp. 221-222].

Price, J. P. see Blum, H. F.

- 77.—Regnéll, G. "Agelacrinites" ephraemovianus (Bogolubov) and "Lepidodiscus" fistulosus Anderson (Edrioast.) Kungl. Fysiografiska Sällskapets I Lund Forh. 20 20 1950 pp. 218–231 figs. 1–2.
- 78.—Regnéll, G. Über den Holotypus von Echinoencrinites senkenbergii Meyer 1826. (Pelmat.: Hydrophoridea). Senckenbergiana 31 1950 pp. 259-267 figs. 1-3.
- 79.—Reimann, I. G. Possible phylogenetic relationships of some early Eublastoids. J. Paleont., Menasha Wis. 24 1950 pp. 499–500.

80.—Ricketts, E. F. and Calvin, J. Between Pacific Tides. An account of the habits and habitats of the common, conspicuous sea-shore invertebrates of the Pacific Coast between Sitka, Alaska, and Northern Mexico. Stanford 1948 pp. vi + 320 102 figs. 44 pls.

Roberts, T. G. see Chronic, B. J.

- 81.—Rothschild, Lord. Counting spermatozoa. J. exp. Biol., Cambridge 26 1950 pp. 388–395 figs. 1–3.
- 82.—Rothschild, Lord. The physiology of sea-urchin spermatozoa. Catalase. J. exp. Biol., Cambridge 26 1950 pp. 396-409 figs. 1-5.
- 83.—Rothschild, Lord. A note on the catalase content of sea-urchin eggs. J. exp. Biol., Cambridge 26 1950 pp. 410-411 fig. 1.

Rothschild, Lord see Barnes, H.

- 84.—Rothschild, Lord & Tuft, P. H. The Physiology of Sea-Urchin Spermatozoa. The dilution effect in relation to copper and zinc. J. exp. Biol., Cambridge 27 1950 pp. 59-72 figs. 1-6.
- 85.—Runnström, J. & Wicklund, E. Formation mechanism of the fertilization membrane in the sea urchin egg. Inhibitory effect of heparin and jelly substance on clotting of the vitelline membrane. Ark. zool., Stockholm Second Ser. 1 1950 pp. 179–194 figs. 1–5.

Sävhagen, R. see Gustafson, T.

- 86.—Schindewolf, O. H. Grundfragen der Paläontologie. Stuttgart 1950 505 pp. 332 figs. xxxii pls.
- 87.—Schönmann, R. Die Welt der Tiere. Wien 1949 654 pp. 367 figs. xiv pls.
- 88.—Shapiro, H. Do chromosomes manifest osmotic volume change? Proc. Soc. exp. Biol. 67 1948 pp. 180–182.
- 89.—Shorigin, A. A. Echinodermata [in] Check list of the fauna and flora of the northern seas of the U.S.S.R. 1948 pp. 465-495 figs. 54-60 pls. exx-exxiii.
- 90.—Sieverts-Doreck, H. Über Hexacrinus und Bactrocrinus. N. Jahrb. Geol. Paläont. Monatshefte B Stuttgart 1950 pp. 80–87 figs. 1–4.
- 91.—Sloss, L. L. Rates of Evolution. J. Paleont., Menasha Wis. 24 1950 pp. 131–139 text-figs. 1–8.

92.—Spencer, W. K. A new Brittlestar and an Eurypterid from the Bokkeveld strata. S. Afr. J. Sci., Johannesburg 46 1950 pp. 300–301 figs. 1–6.

Srisukh, S. see Goodwin, T. W.

- 93.—Stainbrook, M. A. The fauna and correlation of the McCraney Limestone of Iowa and Illinois. Amer. J. Sci., New Haven 248 1950 pp. 194–213.
- 94.—Strimple, H. L. Crinoid Studies. Part III Apographiocrinus arcuatus, new species from the Missouri Series of Oklahoma. Part IV Exocrinus, new genus from the Pennyslvanian of Oklahoma. Part V Allosocrinus, a new crinoid genus from the Pennsylvanian of Oklahoma. Part VI Allagecrinus copani, new species from the Pennsylvanian of Oklahoma. Part VII New species of Crinoids from Southeastern Kansas. Bull. Amer. Paleont., Ithaca 32 1949 pp. 255–294 fig. 1 pls. xxxiii—xxxix.
- 95.—Strimple, H. L. Emendation of Endelocrinus tumidus (Strimple). J. Paleont., Menasha, Wis. 24 1950 pp. 112–113.
- 96.—Strimple, H. L. New species of Utharocrinus and Lasanocrinus. J. Paleont., Menasha, Wis. 24 1950 pp. 571–574 pl. lxxvii.
- 97.—Thorson, G. Reproductive and larval ecology of marine bottom invertebrates. Biol. Rev., Cambridge 25 1950 pp. 1-45.

Tuft, P. H. see Rothschild, Lord.

- 98.—Ubaghs, G. Le genre Spyridiocrinus Oehlert. Ann. Paléont., Paris 36 1950 pp. 107–122 figs. 1–8 pl. vii.
- 99.—Ushakov, P. V. The abyssal fauna of the Okhotsk Sea. C.R. Acad. Sci. Moscou n.s. 71 1950 pp. 971–974. [Russian].
- 100.—Vatova, A. Gli Echinodermi della Laguna Veneta. Nova Thalassia, Venezia 1 1950 pp. 3–13.
- 101.—Vevers, H. G. Ophiopsila annulosa (M. Sars) in the Plymouth area. J. Mar. biol. Ass., Plymouth 29 1950 p. 81.
- 102.—Wanner, J. — crinites oder ——crinus? N. Jahrb. Geol. Paläont. Monatshefte Stuttgart 1950 pp. 341—347.

- 103.—Wells, D. Lower Middle Mississippian of Southeastern West Virginia. Bull. Amer. Assoc. Petrol. Geol. Oklahoma 34 1950 pp. 882–922 text-figs. I-6 2 tables.
- 104.—Wells, P. H. and Giese, A. C. Photoreactivation of ultraviolet light injury in gametes of the sea urchin Strongylocentrotus purpuratus. Biol. Bull. Woods Hole 99 1950 pp. 163–172 figs. 1–5.
- 105.—Wicklund, E. On the effect of Albumin, ATP, Trypsin, Chymotrypsin, Glucose and Fructose on the activity of spermatozoa of sea-urchins. Ark. zool., Stockholm 42A 11 1950 pp. 1-10 figs. 1-4.
- 106.—Wicklund, E. Note on the process of fertilization and failure of membrane formation in trypsin-treated sea-urchin eggs. Ark. zool., Stockholm Second Ser. 1 1950 pp. 1–2 pl. i.
- 107.—Wicklund, E. & Gustafson, T. The effect of glycine on the membrane formation in the eggs of the sea-urchin strongylocentrotus droebachiensis. Ark. zool., Stockholm 42A 12 1950 pp. 1–4 pl. i.

Wicklund, E. see Runnström, J.

- 108.—Wright, J. The British Carboniferous Crinoidea. Part I. Palaeontogr. Soc. (Monogr.), London 103 for 1949 1950 pp. i-xxx, 1-24 text-figs. 1-4 pls. i-vii.
- 109.—Wunnenberg, C. Zur Ausbildung des Posidonienschiefers in der Umgebung von Braunschweige mit besonderer Berücksichtigung der Fossilisation. N. Jahrb. Geol. Paläont. Monatshefte Stuttgart 1950 pp. 146–182 figs. 1–8. [Echinodermata at pp. 159–160].
- 110.—Yakovlev, N. N. Derivation of the genus *Indocrinus* from *Ulocrinus* and the factors of evolution. C.R. Acad. Sci. Moscou N.S. 67 1949 pp. 897–900 figs. 1–2.
- 111.—Yakovlev, N. N. On the kinds of sculpture of the cup in crinoidea and their origin. C.R. Acad. Sci. Moscou N.S. 70 1950 pp. 93–96 figs. i–vi. [Russian.]

Yudkin, W. H. see Baldwin, E.

112.—Zbyszewski, G. Étude géologique de la region d'Almeirim. Comm. Serv. geol. Portugal 28 1947 pp. 217–263 pls. i–vii.

113.—Zeuthen, E. Respiration during cell division in the egg of the sea urchin *Psammechinus miliaris*. Biol. Bull. Woods Hole 98 1950 pp. 144-151 figs. 1-3.

II.—SUBJECT INDEX.

GENERAL LITERATURE AND HISTORY

Text-books: General works.—Cuénot & Dawydoff 19; Iceland, Einarsson 25; Kuhn 48; MacGinitie & MacGinitie 54; Meléndez 58; Monograph Echinoidea, Mortensen 65; Mortensen 67; Navarro Cándido 69; Ricketts & Calvin 80; Schindewolf 86; Schönmann 87.

Nomenclature.—Holothurioid spicules, DEFLANDRE & DEFLANDRE-RIGAUD 22, DEFLANDRE-RIGAUD 23; termination of Crinoid names, -crinites and -crinus, Wanner 102.

Vernacular names.—CLARK 15.

STRUCTURE

Text-books.—Cuénot & Dawydoff 19.

Skeletal Anatomy.—Plating structure of Cystidea p. 125, structure and function of pores and canals in Cystidea p. 128, interpretation of apertures in Carpoidea p. 219, CHAUVEL 11; Spyridiocrinus, UBAGHS 98; ornament of Crinoid cups, YAKOVLEV 111.

Water Vascular System.—Pedicellariae, Pérès 74.

Teratology.—Sieverts-Doreck 90.

PHYSIOLOGY

Chemical Constituents.—Baldwin & Yudkin 4; Barnes & Rothschild 5; Goodwin 32; Goodwin & Srisukh 33; Monroy 62; Rothschild 82-83.

Autotomy and Regeneration.—Pedicellariae, Pérès 74.

Laboratory Technique.—ROTHSCHILD 81.

Experimental.—Ascione 2; Beljaev 6; Goodwin 32; Harding 37; Hörstadius 40; Hultin 41; Immers 42; Kopec 46; Krahl 47; Liebman 51; Lindberg 52; Macfarlane & Nadeau 53; Maxia 57; Metz 59; Monné 60-61; Monroy 62; Rothschild & Tuft 84; Shapiro 88; Wells & Giese 104; Wicklund 105; Zeuthen 113.

DEVELOPMENT

Larvel Stages.—Arbacia punctulata, GLASER 31.

Post-Larval Stages.—Introduction of new plates in Cystidea, Chauvel 11 p. 125.

Experimental Embryology.—Blum & PRICE 7-8; CHILD 13; DAN 20; GUSTAFSON & SÄVHAGEN 35; RUNNSTRÖM & WICKLUND 85; WICKLUND 106; WICKLUND & GUSTAFSON 107.

EVOLUTION AND GENETICS

General Works; Theories.—Newell 70; Sloss 91.

Phylogeny.—Relation of Echinoderma and Chordata, Baldwin & Yudkin 4; relationship of Echinoderm classes, Chauvel 11; Echinocorys, Kongiel 45; Eublastoidea, Reimann 79; relationship of Indocrinus and Ulocrinus, Yakovlev 110.

Variation.—Clypeaster, Kalabis 44; Echinocorys, Kongiel 45.

ECOLOGY AND HABITS

Communities.—English Channel, HOLME 39; RICKETTS & CALVIN 80.

Population Studies.—Thorson 97.

Breeding and parental habits.—Ctenocidaris geliberti, C. perrieri, Plexechinus nordenskjöldi, brood-protecting, Mortenson 64.

DISTRIBUTION

GEOGRAPHICAL

General.—Relation between Tertiary and recent fauna of Antarctic, Mann 56.

Arctic.—SHORIGIN 89.

North Atlantic.—EINARSSON 25; HOLME 39; PRAEGER 76; VEVERS 101.

Mediterranean.-VATOVA 100.

North Pacific.—Durham 24; Hayashi 38; Ricketts & Calvin 80; Ushakov 99.

Indo-Pacific.—CLARK 15; RICKETTS & CALVIN 80.

South Temperate and Subantarctic.— DAWBIN 2; FELL 27, 29, 30; MORTEN-SEN 64.

Antarctic.—Mann 56; Mortensen 64.

GEOLOGICAL

General.—Edrioasteroidea, REGNÉLL 77.

Pleistocene.—California, DURHAM 24.

Pliocene.—California, DURHAM 24.

Miocene.—Spain, Carrasco & Lizaur y Roldan 9; Netherlands, Engel 26; Czechoslovakia, Kalabis 44; Japan, Nisiyama & Hashimoto 73; Portugal, Zbyszewski 112.

Palaeogene.—Italy, MALARODO 55.

Oligocene.-Netherlands, ENGEL 26.

Eocene.—France, BALAVOINE 3; Holothurioidea, DEFLANDRE-RIGAUD 23; France, MORELLET & MORELLET 63.

Cretaceous.—Somaliland, Checchia-Rispoli 12; Madagascar, Collignon 17-18; Denmark, Sweden, Poland, Kongiel 45; Rügen, Müller 68 Japan, Nisiyama 71-72.

Jurassic.—France, Alloiteau & Charles 1; Holothurioidea, Deflandre-Rigaud 23; Wunnenberg 109.

Trias.—New Zealand, Fell 28.

Permian.—Peru, Chronic 14; Holothurioidea, Deflandre-Rigaud 23; Timor, Haaf 36; Timor, Lakeman 49.

Carboniferous.—Peru, Chronic 14; Holothurioidea, Deflandre-Rigaud 23; U.S.A., Kaiser 43; U.S.A., Plummer 75; Regnéll 77; U.S.A., Stain-Brook 93; U.S.A., Strimple 94-96; U.S.A., Wells 103; British Crinoidea, Wright 108.

Devonian.—Chauvel 11; Blastoids N. America, Cline & Heuer 16; Gross 34; Germany, Lehmann 50; Regnéll 77; Germany, Sieverts-Doreck 90; S. Africa, Spencer 92; Ubaghs 98.

Ordovician.—Chauvel 10-11; Regnéll 78.

III.—SYSTEMATIC INDEX.

HOLOTHURIOIDEA

†Auricularites manipule nov. for A. arcuatus pp. 42-43 fig. 108 and A. parviradiatus p. 42 fig. 107 centuriae nov. Jurassic France, Deflandre-Rigaud Ann. Paléont. Paris 36.

†Chiridotites [manipule] with C. angulatus Jurassic France pp. 24-25 figs. 25-28, clavatus Jurassic France pp. 22-23 fig. 22, crassidentatus Jurassic Germany pp. 28–29 figs. 53–54, mortenseni Jurassic Germany p. 28 figs. 51–52, terquemi Jurassic France p. 26 figs. 37–46, centuriae nov., Deflandre-Rigaud Ann. Paléont. Paris 36; atavus p. 23 figs. 31-34, pl. i fig. 2, convexus p. 26 figs. 47-48, curriculum p. 34 fig. 72, floridus p. 25 figs. 35-36, geinitzianus p. 19 figs. 14-16, heptalampra p. 27 figs. 49-50, ingens p. 34 figs. 73-74, lanceolatus p. 33 fig. 71, primaevus p. 18 figs. 9-13, quinquelobatus p. 22 figs. 23-24, radiatus p. 16 fig. 7, robertsoni p. 18 fig. 8, speciosus p. 29 figs. 55-65, pl. i figs. 9-12, undulatus p. 31 figs. 66-70, pl. i fig. 8, vetustus p. 20 figs. 17-21, ID.

Chirodota carnleyensis p. 40, gigas p. 40 fig. 22, nigra p. 40 fig. 21, DAWBIN 21.

†Chirodota sp., Deflandre-Rigaud 23 p. 11 figs. 29-30.

Cucumaria alba p. 36, amokurae p. 38 fig. 13, bollonsi p. 38 fig. 9, brevidentis p. 38 fig. 10, calcarea p. 38 fig. 11, farquhari p. 38 fig. 12, huttoni p. 36, leoninoides p. 38, ocnoides p. 36 fig. 4, DAWBIN 21.

Holothuria neozelanica, DAWBIN 21 p. 35.

Kolostoneura novae-zelandiae, DAW-BIN **21** p. 40.

Lipotrapeza dearmatus, DAWBIN 21 p. 39.

Memsamaria bicolumnata p. 38 fig. 14, thomsoni p. 39, DAWBIN 21.

†Micradites manipule nov. for M. incertus centuria nov. Jurassic France, Deflandre-Rigaud Ann. Paléont. Paris 36 p. 43 figs. 109–110.

Molpadia dendyi p. 39. marenzelleri p. 39 fig. 17, DAWBIN 21.

†Myriotrochites [manipule] with M. costiferus p. 37 figs. 88-94, elegans p. 40 figs. 100-103, gracillimus p. 39 figs. 96-99, pl. i figs. 1, 6, helveticus p. 38 fig. 95, operculum p. 41 figs. 104-106, sieboldi p. 35 figs. 75-87, pl. i figs. 3-5, 7 [centuriae], Deflandre-Rigaud 23.

Paracaudina coriacea, DAWBIN 21 p. 39 figs. 5, 16.

Phyllophorus longidentis, DAWBIN 21 p. 39 fig. 15.

Protankyra uncinata, DAWBIN 21 p. 40 fig. 20.

Pseudopsolus macquariensis, Dawbin 21 p. 35.

Psolidiella nigra, DAWBIN 21 p. 35 fig. 3.

Psolus neozelanicus, Dawbin 21 p. 35 fig. 2.

Stichopus mollis, DAWBIN 21 p. 35 fig. 1.

Trochodota dendyi p. 40 fig. 8, dunedinensis p. 40 fig. 19, DAWBIN 21.

ECHINOIDEA

Abatus agassizii p. 307, cavernosus 2, p. 306, cordatus p. 305, nimrodi p. 306, philippii? p. 307, Mortensen 64.

Aceste p. 330, A. bellidifera p. 332 figs. 224–225, ovata p. 333, weberi p. 335, Mortensen 65.

†Acrolusia with A. gauthieri, Mortensen 65 p. 32.

†Adetaster with A. lucentinus, Mortensen 65 p. 356.

Aëropsis p. 326, A. fulva p. 329, rostrata p. 328 figs. 222–223, Mortensen 65.

Agassizia scrobiculata, DURHAM 24 p. 50 pl. xliii figs. 4-5, 8-9.

†Agassizia (Anisaster) mossomi, Zbyszewski 112 p. 228 pl. vii figs. 12–14.

Allobrissus see Brissus.

Amphineustes bifidus sp. n. Antarctic, MORTENSEN B.A.N.Z. Antarctic Research Exped. 1929–1931 Reports B 4 pp. 304–305 pl. vii figs. 1–3, pl. ix figs. 1, 7–9; brevisternalis p. 303 pl. vii figs. 8, lorioli p. 303 pl. ix figs. 2, 10–12, marsupialis p. 304, ID.

Anabrissus gen. n. for type Brissus damesi A. Agassiz 1881, Mortensen Vidensk. Medd. Dansk. naturh. Foren. Køjb. 112 p. 161.

Anametalia gen. n. for type Brissus sternaloides Bolau 1873, MORTENSEN Vidensk. Medd. Dansk. naturh. Foren. Køjb, 112 p. 161; A. grandis sp. n. Indo-China, Id. p. 161.

Anisaster see Agassizia.

†Antillaster with A. cubensis, Mortensen 65 p. 239.

†Aphelaster with A. integer, Mortensen 65 p. 355.

†Arbacina sphaeroideus, Engel 26 p. 33 figs. 1-5.

Archaeopneustes p. 193, A. hystrix p. 195 figs. 145a, 146-149a, pl. iv fig. 1, pl. v figs. 1-2, pl. vi fig. 1, pl. vii figs. 1-2, pl. xxii figs. 2-4, 8, 13, 15-17, pl. xxiii figs. 1, 14, MORTENSEN 65.

Argopatagus p. 221, A. planus p. 225, vitreus p. 223 figs. 164–165, pl. viii fig. 2, pl. xxi figs. 1, 7, 9, 11, 13, 15–23, Mortensen 65.

†Asterostoma with A. excentricum, MORTENSEN 65 p. 36 figs. 34-35.

 $\dagger Aurelian aster$ with A. valettei, Mortensen 65 p. 57.

†Basseaster with B. rostratus, Mortensen 65 p. 78.

†Bolbaster see Hemiaster.

Brisaster owstoni sp. n. Japan, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb 112 p. 160.—B. kerguelenensis, Mortensen 64 p. 308.

†Brissolampas with B. conicus, Mortensen 65 p. 230.

†Brissomorpha with B. fuschsi, Mortensen 65 p. 232.

†Brissopneustes with B. vilanovae, Mortensen 65 p. 370.

Brissopsis evanescens sp. n. S. Africa, MORTENSEN Vidensk. Medd. Dansk naturh. Foren. Køjb 112 p. 162.

Brissus with sub. gen. Allobrissus subgen. n. for type Brissus agassizii Döderlein 1885 N. Pacific, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 162; B. (A.) meridionalis sp. n. Australia, Id. p. 162.

Calymne with C. relicta, MORTENSEN 65 p. 129.

†Cardiaster with C. granulosus, Mortensen 65 p. 51.

†Cardiaster (Cardiotaxis) with C. (C.) peroni, Mortensen 65 p. 53.

†Cardiolampas with C. fribourgensis, MORTENSEN 65 p. 30.

†Cardiopelta see Collyrites.

†Cardiotaxis see Cardiaster.

†Catoproctus see Hemiaster.

Ceratophysa p. 158, C. ceratopyga p. 158, C.? rosea p. 159, Mortensen 65.

†Chelonechinus with C. suvae, Mortensen 65 p. 124.

†Cheopsia with C. mortenseni, Mortensen 65 p. 408.

†Cibaster with C. bourgeoisanus, Mortensen 65 p. 55.

†Cidaris toucasi, ALLOITEAU & CHARLES 1 p. 5 pl. i fig. 6.—C. belgica, ENGEL 26 p. 35 [Radioles.]

Cidarites geranioides, Mortensen 64 p. 291.

†Cleistechinus with C. canavarii, MORTENSEN 65 p. 306.

Clypeaster reticulatus, Clark 15 p. 59. —C. australasiae, Mortensen 64 p. 302.

†Clypeaster marquerensis p. 41 pl. xliii figs. 2-3, revellei p. 41 pl. xliii figs. 1, 7, spp. n. Pliocene California, Durham Mem. Geol. Soc. Amer. Washington No. 43 ii; bowersi p. 40 pl. xlii fig. 9, pl. xlvi figs. 1-2, speciosus p. 40 pl. xlvi figs. 1, 3-4, 6-7, ID.—C. campanulatus with vars. acuminatus pp. 42, 97 pl. ivi figs. 3-5, campanulatus pp. 42, 97 pl. iii figs. 1-3, carapezzai pp. 52, 109 pl. vi figs. 1-3, pl. vii fig. 1, partschii pp. 46, 101 pl. iv figs. 1-2 and reidii pp. 51, 106 pl. v figs. 1-4, C. intermedius with vars. calabrus p. 9 fig. 2 and intermedius pp. 38, 91 figs. 7-8, 11, pl. ii figs. 1-3, C. scillae with vars. crassus pp. 35, 89 pl. i figs. 3-5 and scillae pp. 33, 86 pl. i figs. 1-2, C. sp. pl. vii fig. 2, Kalabis 44.

†Coenholectypus see Holectypus.

†Collyrites with C. ovalis, MORTENSEN 65 p. 20.

†Collyrites (Cardiopelta) with C. (C.) capistrata, Mortensen 65 p. 22.

†Collyropsis with C. carinata, Mortensen 65 p. 25.

†Coraster with C. vilanovae, MORTEN-SEN 65 p. 167.

†Corechinus with C. pulaviensis, MORTENSEN 65 p. 102.

†Corthya with C. hemispherica, Mortensen 65 p. 27.

†Cottreaucorys with C. blayaci, Mortensen 65 p. 335.

†Crucibrissus with C. integer, Mortensen 65 p. 409.

Ctenocidaris polyplax sp. n. Antarctic Ocean, MORTENSEN B.A.N.Z. Antarctic Research Exped. 1929–1931 Reports B 4 pp. 296–297 pl. viii figs. 1–2, 8, pl. ix fig. 4; geliberti p. 294 fig. 5, pl. vi figs. 1–2, pl. vii fig. 7, perrieri p. 294, ID.

Cyclaster recens sp. n. Indo-China, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 161.

 $\dagger Cyclolampas$ with $C.\ voltzii$, Mortensen 65 p. 17.

Cystocrepis p. 156, C. setigera p. 157, Mortensen 65.

Delopatagus p. 251, D. brucei p. 252, Mortensen 65.

†Dendraster granti sp. n. Pliocene California, Durham Mem. Geol. Soc. Amer. Washington No. 43 ii pp. 41–42 pl. xlvii figs. 3–12.

Diadema savignyi, Clark 15 p. 54.

†Dialyaster with D. gueymardi, Mortensen 65 p. 31.

†Dicyclocidaris gen. n. for type D. denticulata sp. n. Trias New Zealand, FELL Trans. Proc. Roy Soc. N.Z. 78 pp. 83-85 figs. 1-3.

Diploporaster gen, n. for type D. barbatus sp. n. Zanzibar, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 160.

†Disaster with D. granulosus, Mortensen 65 p. 24.

†Distefanaster with D. garganicus, Mortensen 65 p. 400.

†Ditremaster with D. nux, Mortensen 65 p. 397.

†Douvillaster hourcqi sp. n. Cretaceous Madagascar, Collionon Ann. géol. Serv. Mines Madagascar fasc. 17 pp. 11–12 pl. ii figs. 2–3; and 17 p. 36.—D. with D. vatonnei, Mortensen 65 p. 357.

†Duncaniaster with D. australiae, MORTENSEN 65 p. 74.

†Echinarachnius subtumidus sp. n. Tertiary (? Miocene) Japan, NISIYAMA & HASHIMOTO Short Pap. Inst. Geol. Paleont. Univ., Sendai No. 2 pp. 39-42 figs. 1-3.

Echinocardium keiense sp. n. Kei Islands, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb 112 p. 163.

†Echinocorys pentagonalis pp. 32–34 pl. xvii figs. 8–11, pl. xviii figs. 1–8, semiglobosus pp. 29–30 pl. xv fig. 12, pl. xvi figs. 1–4, spp. n. Cretaceous Poland, Kongiel Trav. Serv. géol. Pologne 5 1949; asymmetricus p. 30 pl. xvi figs. 5–12, pl. xvii figs. 1–7, depressus p. 27 pl. xiv figs. 3–12, pl. xv figs. 1–11, obliquus p. 18 fig. 4, pl. v fig. 7, pl. vi figs. 4, 7–9, pls. vii—ix, pl. xi figs. 6–12, pl. xii figs. 1–10, perconicus p. 16 figs. 1–3, pl. ii figs. 1–2, rectus p. 25 pl. xii figs. 1–3, pl. iii figs. 1–2, rectus p. 25 pl. xii figs. 1–12, pl. xiii figs. 1–12, pl. xiii figs. 1–12, pl. xiii figs. 1–12, pl. xiii figs. 1–6, pl. vi figs. 1–6, pl. vi figs. 1–6, pl. vi figs. 1–6, pl. vi figs. 1–5, ID.—E. with E. vulgaris, Mortensen 65 p. 64.

†Echinocorys (Galeola) with E. (G.)-papillosa, Mortensen 65 p. 68.

Echinocrepis p. 155, E. cuneata p. 156, MORTENSEN 65.

†Echinocrinus sp., Chronic 14 p. 173 pl. xxxv figs. 13–17.

†Echinolampas sp., Carrasco and Lizaur y Roldan 9 p. 291 pl. ii fig. 5.— E. ? sp., Durham 24 p. 50 pl. xliv fig. 5.

Echinometra mathaei, Clark 15 p. 58.

Echinoneus cyclostomus, Clark 15 p. 59.

Echinosigra p. 152, E. paradoxa p. 153, phiale p. 152, Mortensen 65.

Echinothrix calamaris, diadema, CLARK 15 p. 55.

Elipneustes p. 252, E. denudatus p. 254, rubens p. 254, Mortensen 65.

†Enallopneustes with E. jullieni, Mortensen 65 p. 411.

Encope grandis p. 45 pl. xxxvii fig. 9, pl. xxxvii figs. 2–3, micropora p. 46 pl. xxxvii fig. 1, pl. xxxix figs. 1–2, perspectiva p. 47 pl. xxxvii fig. 12, pl. xxxix figs. 3, 5, Durham 24.

†Encope angelensis sp. n. Pliocene California pp. 43–44 pl. xxxvii fig. 15, pl. xlii figs. 1, 3–4, 10, arcensis sp. n. Pleistocene California p. 44 pl. xxxvii fig. 8, pl. xl figs. 5–6, carmenensis sp. n. Pliocene California pp. 44–45 pl. xxxvii fig. 5, pl. xl fig. 4, pl. xliv fig. 1, chaneyi sp. n. Pliocene California p. 45 pl. xxxvii fig. 7, pl. xliii fig. 6, grandis subsp. inezana subsp. n. Pleistocene California pp. 45–46 pl. xxxviii fig. 10, pl. xxxviii

fig. 4, loretoensis sp. n. Pliocene California p. 46 pl. xxxvii fig. 4, pl. xli figs. 1, 4–5, scrippsae sp. n. Pliocene California pp. 47–48 pl. xxxvii fig. 14, ? pl. xli figs. 2–3, 6, pl. xlii figs. 2, 5–8, shepherdi sp. n. Pliocene California p. 48 pl. xxxvii fig. 11, pl. xxxviii fig. 6, pl. xl fig. 2, sverdrupi sp. n. Pliocene California pp. 48–49 pl. xxxvii fig. 6, pl. xxxii figs. 4, 6, Durham Mem. Geol. Soc. Amer. Washington No. 43; californica p. 44 pl. xxxvii fig. 2, pl. xxxviii figs. 1, 5, sp. n. A p. 49 pl. xxxvii fig. 3, pl. xl fig. 3, sp. n. B p. 50 pl. xxxvii fig. 13, pl. xl fig. 1, ID.

†Enichaster with E. oblongus, Mor-Tensen 65 p. 307.

†Epiaster africanus pp. 17–18 pl. i ig. 1, caranoi pp. 16–17 pl. ii fig. 4, nigliorinii pp. 19–20 pl. i figs. 5–7, morenseni pp. 10–11 pl. i figs. 8–9, ovalis pp. 14–15 pl. ii fig. 5, pulcher pp. 20–21 pl. i fig. 4, somaliensis pp. 11–14 pl. i fig. 3, pl. ii figs. 1–2, spp. n., somaliensis var. alta p. 12 pl. ii fig. 3, var. rotundata p. 13 pl. i fig. 2 var. n., Cretaceous Somaliland, Checchia-Rispoli Mem. Accad. Lincei (8) 1 2–1948; cf. dallonii p. 22 pl. ii fig. 8, restrictus p. 8 pl. ii figs. 6–7, ib.—E. jeanneti sp. n. Cretaceous Madagascar, Collignon Ann. géol. Serv. Mines Madagascar fasc. 17 pp. 13–14 pl. ii fig. 4, and 17 p. 37; Ebesairiei, Collignon 17 p. 14.—E. with E. trigonalis, Mortensen 65 p. 343.

Eucidaris australiae sp. n. W. Australia, Mortensen B.A.N.Z. Antarctic Res. Exped. 1929–31 Reports B 4 pp. 291–293 figs. 1–4, pl. viii figs. 5–7, pl. ix figs. 3, 5–6; nutrix, In. p. 293.

†Eucidaris thouarsii, Durham 24 p. 40 pl. xxxvii fig. 2.

Eurypatagus p. 254, E. grandiporus p. 262 figs. 187b, 188c, pl. xviii figs. 1, 3, 7–8, 12, pl. xix figs. 1, 18; ovalis p. 256 figs. 187a, 188a-b, 189, 190a, 192, pl. xvii figs. 2-4, pl. xviii figs. 2,4–6, 10, 13, pl. xix figs. 7, 8, 10, 14, 17, 20–24; parvituberculatus p. 260 figs. 190b, 191, pl. ii figs. 3–4, pl. xvii figs. 1, 5–7, pl. xviii figs. 9, 11, pl. xix figs. 2, 11, 19, MORTENSEN 65.

 $\dagger \textit{Galeaster see Stegaster}.$

†Galeola see Echinocorys.

†Ganbirretia with G. douvillei, Morreensen 65 p. 83.

†Garumnaster with G. michaleti, Mortensen 65 p. 75.

Genicopatagus p. 248, G. affinis p. 250 pl. xxi figs. 2-4, 8, 10, Mortensen 65.

†Gibbaster, see Micraster.

Goniocidaris australiae p. 290 pl. iv fig. 2, tubaria var. impressa p. 290 pl. iv fig. 1, MORTENSEN 64.

†Goniopygus atavus sp. n. Cretaceous Japan, Nisiyama Short Pap. Inst. Geol. Paleont. Tôhoku Univ., Sendai No. 2 pp. 30–32 pl. iv figs. 3–4.

†Grasia with G. elongata, MORTENSEN 65 p. 18.

†Gregoryaster see Hemiaster.

†Guettaria with G. angladei, MORTEN-SEN 65 p. 91.

†Habanaster with H. sanchezi, Mortensen 65 p. 172 figs. 135-137.

†Hagenowia with H. rostrata, Mortensen 65 p. 97.

Helgocystis p. 150 with H. carinata p. 151, Mortensen 65.

Hemiaster clarki p. 389, expergitus p. 387 with var. gibbosus p. 389, H. hickmani p. 391, tenuis p. 390, vanus p. 390, Mortensen 65.

†Hemiaster zululandicus p. 15 pl. ii fig. 5, sp. aff. zululandicus p. 15 pl. ii fig. 6, Collignon 18.

†Hemiaster (Bolbaster) with H. (B.) prunella, Mortensen 65 p. 384.

†Hemiaster (Catoproctus) with H. (C.) enormis, Mortensen 65 p. 385.

†Hemiaster (Gregoryaster) with H. (G.) coranguinum, Mortensen 65 p. 383.

†Hemiaster (Hemiaster) with H. (H.) bufo, Mortensen 65 p. 381.

Hemiaster (Holanthus) with H. (H.) hickmani, Mortensen 65 p. 384.

†Hemiaster (Leymeriaster) with H. (L.) leymeriei, Mortensen 65 p. 382.

†Hemiaster (Mecaster) with H. (M.) fourneli, Mortensen 65 p. 382.

Hemimaretia gen. n. for type Maretia elevata Döderlein 1907, MORTENSEN Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 160.

†Hemipneustes with H. striato-radiatus, Mortensen 65 p. 61.

†Hernandezaster with H. hernandezi, Mortensen 65 p. 405 pl. ii fig. 5. †Heteraster nexilis sp. n. Cretaceous Japan, Nisiyama Short Pap. Inst. Geol. Paleont. Tônoku Univ., Sendai No. 1 pp. 42-44 figs. 1-3.—H. with H. oblongus, Mortensen 65 p. 346.

Heterobrissus hemingi p. 203, niasicus p. 201 figs. 145b, 149b, 151-152, pl. vi fig. 2, pl. vii figs. 3-4, pl. viii fig. 3, pl. xxii figs. 1, 5-6, 14, 20, pl. xxiii figs. 2-3, 6, 9, 16, MORTENSEN 65.

†Heterobrissus with H. montesi, Mortensen 65 p. 199.

Heterocentrotus mammillatus, Clark **15** p. 59.

†Heterocidaris bruni, Alloiteau & Charles 1 p. 5 pl. i fig. 7.

†Heterolampas with H. maresi, Mortensen 65 p. 393.

Holanthus see Hemiaster.

†Holaster clypeatulus sp. n. Cretaceous Japan, Nisiyama Short Pap. Inst. Geol. Paleont. Tôhoku Univ., Sendai No. 2 pp. 35-36 figs. 1-3, pl. iv figs. 8-9.—H. with H. nodulosus, Mortensen 65 p. 47.

†Holcopneustes with H. gourdoni, MORTENSEN 65 p. 392.

†Holectypus (Coenholectypus) peridoneus sp. n. Cretaceous Japan, NISIYAMA Short Pap. Inst. Geol. Paleont. Tôhoku Univ., Sendai No. 2 pp. 32-33 pl. iv figs. 5-7.

Homalocidaris gigantea, Mortensen 64 p. 297 fig. 6, pl. vii figs. 4-6.

†Homoeaster with H. tunetanus, Mortensen 65 p. 320.

Homolampas p. 264, H. fragilis p. 266 figs. 193a, 194a, 195a, 196, pl. vii figs. 5–6, pl. xiii fig. 5, pl. xxv figs. 1, 4, 13, 15–18; fulva p. 274 pl. xxv figs. 3, 6–8, 10; glauca p. 275 fig. 199; hastata p. 277; lovenioides p. 272 figs. 193b, 194b, 195b, 197–198, pl. xvi figs. 3–8, pl. xx figs. 1, 4–5, 23, pl. xxv figs. 2, 5; rostrata p. 277; MORTENSEN 65.

†Hypsopatagus with H. meneghini, MORTENSEN 65 p. 395.

†Hypsopatagus (Leiopneustes) with H. (L.) antiquus, Mortensen 65.

†Infulaster with I. hagenowi, Mortensen 65 p. 95.

†Iraniaster with I. morgani, MORTEN-SEN 65 p. 168.

†Isaster with I. aquitanicus, Mortensen 65 p. 348.

†Ismidaster with I. toulai, MORTEN-SEN 65 p. 75.

†Isomicraster with I. stolleyi, Mortensen 65 p. 352.

Isopatagus p. 349, I. obovatus p. 350 figs. 243–248, pl. iii figs. 1–4, pl. xix figs. 3–5, 15, Mortensen 65.

†Isopetalum with I. pseudoverticale, MORTENSEN 65 p. 409.

†Isopneustes with I. bourgeiosi, Mortensen 65 p. 369.

†Jeronia with J. pyrenaica, MORTEN-SEN 65 p. 72.

†Lambertiaster with L. douvillei, Mortensen 65 p. 318.

†Lampadaster with L. grandidieri, MORTENSEN 65 p. 93.

†Lampadocorys with L. sulcatus, MORTENSEN 65 p.89.

†Leiopneustes see Hypsopatagus.

†Leiostomaster with L. bigoneti, bösei, gentili, Mortensen 65 p. 317.

†Leymeriaster see Hemiaster.

Linopneustes brachypetalus sp. n. New South Wales, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb 112 p. 157.—L. p. 203, L. brachypetalus p. 219 figs. 153c, 154c, pl. xiv figs. 2-3, pl. xvi figs. 1-2; excentricus p. 220 pl. xxiv figs. 5, 16, 22; fragilis p. 210 figs. 144c, 156-158, pl. xiii fig. 1, pl. xiv fig. 1, pl. xxiii figs. 4, 7, 15, pl. xxiv figs. 1, 10, 19, 23; longispinus p. 216 figs. 153b, 162a-b, 163b, pl. xii figs. 1, 4, pl. xiii figs. 2-3, pl. xv fig. 3, pl. xxiii figs. 8, 10, 13, 19, pl. xxiv figs. 11–12, 14–15, 17-18, 20-21; murrayi p. 206 figs. 153a, 154a, 155, 163a, pl. xii figs. 2-3, pl. xv figs. 1–2, pl. xxiii figs. 5, 18, pl. xxiv figs. 2–3, 6–8; spectabilis p. 213 figs. 154b, 159–161, 162c, pl. ix figs. 1–2, pl. x figs. 1-4, pl. xi figs. 1-3, pl. xxiii fig. 17, pl. xxiv figs. 4, 9, 13, 24, Mor-TENSEN 65.

Lissospatangus gen. n. for type L. hirsutus sp. n. south of Australia, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 162.

Lovenia döderleini Kei Islands, hawaiiensis Hawaiian Islands, spp. n., Mortensen Vidensk. Medd. Dansk naturh. Foren Køjb. 112 p. 158.

†Lovenia hemphilli, Durham 24 p. 51 pl. xliv figs. 2-3, 4, 6.

†Macraster with M. texanus, Mortensen 65 p. 359.

†Mariania with M. marmorae, Mortensen 65 p. 283.

†Mazzettia with M. pareti, Mortensen 65 p. 235.

†Mecaster see Hemiaster.

†Megapneustes with M. grandis, Mortensen 65 p. 237.

†Menuthiaster with M. cotteaui, Mortensen 65 p.166.

†Meoma sp., Durham 24 p. 51 pl. xlvii fig. 1.

Mespilia globulus, CLARK 15 p. 56.

†Messaoudia with M. pyriformis, MORTENSEN 65 p. 76.

Metalia dicrana p. 60 pl. xv figs. 1-5, spatagus p. 59, sternalis p. 59, Clark 15.

†Metaporinus with M. michelini, Mortensen 65 p. 28.

†Metaporinus (Tithonia) with M. (T.) convexa, Mortensen 65 p. 29.

†Micraster with M. cor-anguinum, MORTENSEN 65 p. 364.

†Micraster (Gibbaster) with M. (G.) fastigatus, Mortensen 65 p. 368.

Miotoxaster see Toxaster.

†Moira cf. clothro, DURHAM 24 p. 51 pl. xlv figs. 2, 5.

†Mokotibaster with M. hourcqui, MORTENSEN 65 p. 353.

†Niponaster with N. hokkaidensis, MORTENSEN 65 p. 169.

†Nordenskjöldaster with N. antarcticus Mortensen 65 p. 173.

Notocidaris remigera sp. n. Antarctic Ocean, MORTENSEN B.A.N.Z. Antarctic Research Expedition 1929-31 Reports B 4 pp. 298-299 pl. v figs. 1-2, pl. viii figs. 3-4; gaussensis p. 300, hastata p. 299, platyacantha p. 297 pl. viii fig. 9, ID.

†Offaster with O. pilula, MORTENSEN 65 p. 56.

†Opisopneustes with O. cossoni, Mortensen 65 p. 80.

†Opissaster with O. polygonalis, Mortensen 65 p. 401.

†Orbignyana with O. ebrayi, Mortensen 65 p. 15.

†Ornithaster with O. evaristei, Mortensen 65 p. 321.

†Oustechinus with O. basseae, Mortensen 65 p. 32.

†Ovulaster with O. gauthieri, Mortensen 65 p. 372.

Palaeobrissus p. 288, P. hilgardi p. 289 fig. 204, pl. ix figs. 3-4, pl. xxv figs. 11, 23-26, 34, 36, 40, MORTENSEN 65.

Palaeopneustes p. 189, P. cristatus p. 191 figs. 143, 144a-b, pl. iv fig. 2, pl. viii fig. 1, pl. xxii figs. 7, 9-12, 18-19, pl. xxiii figs. 11-12, 20, Mortensen 65.

Palaeostoma p. 312, P. mirabile p. 314 figs. 213-214, pl. iv figs. 3-4, pl. v figs. 3-5, pl. xxv figs. 28-29, 35, 37-39, 41, MORTENSEN 65.

†Palaeostoma rochi, zitteli, Mortensen 65 p. 313.

Palaeotrema p. 299, P. loveni p. 300 figs. 206b, 207c, 208-209, pl. xxv figs. 9, 12, 19-20, 27, ovatum p. 304 figs. 207a, 210, MORTENSEN 65.

Palaeotropus p. 293, P. josephinae p. 294 figs. 205, 206a, 207b, pl. xxv figs. 14, 19, 21–22, 30–33, "P." thomsoni p. 298, MORTENSEN 65.

†Palhemiaster with P. peroni, Mortensen 65 p. 413.

†Palmeraster with P. palmeri, Mortensen 65 p. 354.

Paramaretia multituberculata sp. n. New South Wales, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 160.

Parasalenia gratiosa, Clark 15 p. 58. †Paronaster with P. cupuliformis, Mortensen 65 p. 78.

Pericosmus bidens Mauritius p. 158, cordatus Japan p. 158, keiensis Kei Islands p. 159, mauritianus Mauritius p. 159, oblongus Bali Sea p. 159, tenuis Mauritius p. 159, spp. n., MORTENSEN Vidensk. Medd. Dansk naturh. Foren. Køjb. 112.

Peripatagus with P. cinctus, Mortensen 65 p. 305.

†Perionaster with P. cotteaui, Mortensen 65 p. 391.

†Pharaonaster with P. ammon, Mortensen 65 p. 238.

Phrissocystis p. 226, P. aculeata p. 227 pl. xxi figs. 5-6,12,14, multispina p. 228, Mortensen 65.

†Physaster with P. inflatus, MORTEN-SEN 65 p. 170.

Pilematechinus p. 116, P. rathbuni p. 117 fig. 106, vesica p. 118, Mortensen 65.

Platybrissus p. 278, P. ellipticus p. 282 fig. 202, roemeri p. 280 figs. 199–201, pl. vi figs. 3–5, pl. viii fig. 4, Mortensen 65.

†Plegiocidaris pichauriensis, Alloiteau & Charles 1 p. 4 pl. i fig. 5.

Plesiozonus p. 243, P. diomedae p. 245 figs. 183–186, pl. i figs. 1–2, pl. ii figs. 1–2, pl. xx figs. 12–14, 16–19, 25–26, hirsulus p. 244 pl. xx figs. 7, 10, 15, 20–22, 24, MORTENSEN 65.

Plexechinus nordenskjöldi, MORTENSEN 64 p. 308.—P. p. 118, P. cinctus p. 119, hirsutus p. 120, nordenskjöldi p. 120, spectabilis p. 121 figs. 107-112, pl. i figs. 3-8, pl. x fig. 5, pl. xix figs. 6, 9, 12-13, 16, MORTENSEN 65.

†Polydiadema wiltshirei, Collignon 18 p. 8 pl. i fig. 3.

Pourtalesia alcocki p. 146, aurorae p. 150, debilis p. 150, hispida p. 149, jeffreysi p. 145, laguncula p. 147, miranda p. 144, tanneri p. 147, wandeli p. 144, Mortensen 65.

†Procollyropsis with P. platypygus, Mortensen 65 p. 26.

†Proholaster with P. auberti, Mortensen 65 p. 23.

†Prosostoma with P. jimenoi, Mortensen 65 p. 241.

†Pseudananchys with P. algirus, Mortensen 65 p. 71.

Pseudechinus huttoni, Mortensen 64 p. 300.

†Pseudholaster with P. bicarinatus, Mortensen 65 p. 58.

†Pseudocidaris simulans sp. n. Cretaceous Japan, Nisiyama Short Pap. Inst. Geol. Paleont. Tôhoku Univ. Sendai No. 2 pp. 29–30 pl. iv figs. 1–2.

†Pseudodiadema termieri, Alloiteau & Charles 1 p. 5 pl. i fig. 8.

†Pseudoffaster with P. caucasicus, Mortensen 65 p. 90.

Pseudomaretia oblonga sp. n. Galapagos, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb 112 p. 163.

†Pusillaster with P. dallonii, Mortensen 65 p. 410.

Pycnolampas p. 228, P. oviformis p. 229, Mortensen 65.

†Pygomalus with P. ovalis, pictaviensis, Mortensen 65 p. 19.

†Pygorhytis with P. ringens, Mortensen 65 p. 16.

†Pygospatangus with P. salvae, Mortensen 65 p. 231.

Rhynchocidaris triplopora, Mortensen 64 p. 293.

†Rispolia with R. decaryi, subtrigonata, Mortensen 65 p. 60.

†Sanchezaster with S. habanensis, MORTENSEN 65 p. 125.

Sarsiaster griegii sp. n. North Atlantic, Mortensen Vidensk. Medd. Dansk naturh. Foren. Køjb. 112 p. 157.—S. p. 398, S. griegii p. 399 figs. 297-298, pl. xiii fig. 4, Mortensen 65.

†Scagliaster with S. concavus, Mortensen 65 p. 79.

†Seunaster see Stegaster.

Sinaechinus with S. kawaguchii, Mortensen 65.

†Somaliaster with S. magniventer, MORTENSEN 65 p. 406.

Spatagocystis with S. challengeri, MORTENSEN 65 p. 154.

†Spatangus (Maretia) aff. perornatus, Carrasco & Lizaur y Roldan **9** p. 291 pl. iii figs. 1-2.

Sphaerechinus granularis, PÉRÈS 74 p. 118 figs. 1-16. [Pedicellaria].

†Stegaster with S. gillieroni, MORTEN-SEN 65 p. 85.

†Stegaster (Galeaster) with S. (G.) bertrandi, Mortensen 65 p. 88.

†Stegaster (Seunaster) with S. (S.) bouillei, Mortensen 65 p. 87.

†Stenonaster with S. tuberculatus, MORTENSEN 65 p. 164.

Sterechinus antarcticus, Mann 56 p. 196 fig. 59, p. 205 pl. xxix.—S. antarcticus p. 301, dentifer p. 301, diadema p. 301, neumayeri p. 302, Mortensen 64.

Stereopneustes with S. relictus, Mortensen 65 p. 69 figs. 62-63, pl. iii fig. 5, pl. xx figs. 2-3, 6, 8-9, 11.

Sternopatagus p. 99 with S. sibogae p. 101, Mortensen 65.

†Sternotaxis with S. planus, Mortensen 65 p. 54.

†Stolonoclypus barcinensis, Kalabis 44 pp. 54, 111 figs. 12, 17, pl. viii figs. 1-5.

†Stomaporus with S. hispanicus, Mortensen 65 p. 233.

†Taphraster with T. campicheanus, MORTENSEN 65 p. 59.

†Tetragamma hourcqi sp. n. Cretaceous Madagascar, Collignon Ann. géol. Serv. Mines Madagascar fasc. 17 pp. 7–8 pl. i figs. 1–2; and 17 p. 36.

†Thebaster with T. fischeri, MORTEN-SEN 65 p. 239.

†Tholaster with T. munieri, MORTEN-SEN 65 p. 94.

†Timorocidaris, see sub Crinoidea.

†Titanaster with T. labiostoma, Mortensen 65 p. 84.

†Tithonia see Metaporinus.

†Toxaster gaudryi p. 9 fig. 1, pl. i figs. 4-8, T. sp. 1 p. 10 pl. i fig. 9, Collignon 18.—T. with T. retusus, Mortensen 65 p. 340.

†Toxaster (Miotoxaster) sp. 2 p. 10 pl. i fig. 10, sp. 3 p. 10 pl. ii fig. 1, Collignon 18.

†Toxopatagus with T. italicus, Mortensen 65 p. 81.

Toxopneustes pileolus, Clark 15 p. 56. †Trachyaster with T. globosus, Mortensen 65 p. 395.

Tripneustes gratilla, CLARK 15 p. 57.

Urechinus drygalskii p. 113, giganteus p. 115, loveni p. 113, naresianus p. 111 fig. 105, reticulatus p. 115, wyvillii p. 114, U.? clypeatus p. 126, MORTENSEN 65.

†Vomeraster with V. verrucosus, Mortensen 65 p. 407.

†Washitaster? macroholcus sp. n. Cretaceous Japan, Nisiyama Short Pap. Inst. Geol. Paleont. Tôhoku Univ., Sendai No. 1 pp. 44–46 figs. 4–6.

†Zumoffenia with Z. ludovici, MOR-TENSEN 65 p. 77.

ASTEROIDEA

Acanthaster planci, Clark 15 p. 63.

Aphelasterias japonica p. 218 figs. 79–82, pl. xxi fig. 1, pl. xxii fig. 5 with forma torquata p. 221 figs. 83–85, pl. xxii figs. 1–2, HAYASHI 38.

Asterias amurensis p. 223 with var. versicolor p. 225 pl. xx figs. 5-6, Hayashi 38.

Brisingella armillata p. 152, pannychia p. 149 figs. 13–15, pl. xiii figs. 3–6, HAYASHI 38.

Cnemidaster wyvillii, Hayashi 38 p. 175 figs. 36-37, pl. xv figs. 4-5.

Coronaster sakuranus, Hayashi 38 p. 188 figs. 50-53, pl. xiv figs. 3-7.

Coscinasterias acutispina, Hayashi 38 p. 197 figs. 57–59, pl. xiv figs. 14–15.

Culcita novae-guinae var. grex, Clark 15 p. 62.

Diplasterias sp., Mann **56** p. 205 fig. 67 [Pedicellaria].

Distolasterias elegans p. 205 figs. 66-67, 68b, pl. xv fig. l, pl. xvii fig. 6, nipon p. 202 figs. 63-65, 68c, stichantha p. 206 figs. 60-62, pl. xvi fig. 6, pl. xx fig. 1, Нахавн 38.

Evasterias echinosoma forma robusta forma n. Japan, Havashi J. Fac. Sci. Hokkaido Univ. Zool. 8 1943 pp. 232–235 figs. 91–92, pl. xviii figs. 3–4; E. echinosoma p. 229 figs. 88–90, pl. xviii fig. 2, pl. xix fig. 6, E. troschelii forma alveolata p. 227 figs. 86–87, pl. xvi fig. 5, pl. xx figs. 3–4, In.

Freyella pennata, HAYASHI 38 p. 160.

Freyellaster fecundus forma ochotensis forma n. pp. 153–156 figs. 16–19, pl. xiii figs. 7–10, F. intermedius sp. n. pp. 156–160 figs. 20–22 pl. xiv figs. 1–2, Japan, HAYASHI J. Fac. Sci. Hokkaido Univ. Zool. 8 1943.

Hexasterias see Leptasterias.

Leptasterias (Hexasterias) alaskensis forma alaskensis p. 252 figs. 110–112, pl. xix fig. 7, pl. xxi fig. 12, pl. xxii fig. 7, L. camtschatica p. 255 figs. 113–115, pl. xxi figs. 3–4, Hayashi 38.

Leptasterias (Leptasterias) orientalis aniwaensis subsp. n. pp. 242–245 figs. 99–101, pl. xvii figs. 1–2, pulchella sp. n. pp. 245–248 figs. 102–105, pl. xxi figs. 7–8, with forma tugaruensis forma n. pp. 248–250 figs. 106–108, pl. xxi figs. 5–6, Japan, Hayashi J. Fac. Sci. Hokkaido Univ. Zool. 8 1943; L. hylodes p. 250 figs. 109, pl. xxi figs. 9, ochotensis p. 236 figs. 93–95, pl. xix figs. 4–5 with forma similispinis p. 238 figs. 96–98, pl. xvii figs. 3–5, pl. xix fig. 3, Id.

Lethasterias fusca p. 209 figs. 68a, 69–72, pl. xxii figs. 3–4, nanimensis chelifera p. 212 figs. 68d, 73–75, pl. xv fig. 6, pl. xxi fig. 2, Hayashi 38.

Lysastrosoma anthosticta, Hayashi 38 p. 215 figs. 76–78, pl. xiv figs. 12–13.

Mithrodia clavigera, Clark 15 p. 63.

Odinia austini forma japonica forma n. pp. 140-144 figs. 4-7, pl. xii figs. 3-4, O. pacifica forma sagamiana forma n. pp. 136-139 figs. 1-3, pl. xii figs. 1-2 Japan, HAYASHI J. Fac. Sci. Hokkaido Univ. Zool. 8 1943.

Othilia luzonica, Clark 15 p. 63.

Parabrisinga gen. n. p. 144 for type P. pellucida sp. n. Japan, Hayashi J. Fac. Sci. Hokkaido Univ. Zool. 8 1943 pp. 145-148 figs. 8-12, pl. xiii figs. 1-2.

Pedicellaster magister esoensis subsp. n. Japan, Hayashi J. Fac. Sci. Hokkaido Univ Zool. 8 1943 pp. 182–184 figs. 42–45, pl. xvi fig. 7, pl. xx fig. 2; P. magister orientalis, Id. p. 179 figs. 38–41, pl. xvi figs. 1–2.

Plazaster borealis, HAYASHI 38 p. 185 figs. 46–49, pl. xvi figs. 3–4.

Sclerasterias satsumana, Hayashi 38 p. 193 figs. 54-56, pl. xiv figs. 8-11.

Zoroaster orientalis sp. n. pp. 162–165 figs. 23–25, pl. xix figs. 1–2 with forma gracilis form. n. pp. 165–167 figs. 26–28, pl. xvii figs. 7–8, pl. xviii fig. 1, Japan, HAYASHI J. Fac. Sci. Hokkaido Univ. Zool. 8 1943; Z. microporus p. 171 figs. 33–35, pl. xv fig. 2, pl. xviii fig. 5, pl. xxii fig. 6, ophiactis p. 168 figs. 29–32, pl. xv fig. 3, ID.

OPHIUROIDEA

Amphioplus basilicus, Fell **27** p. 124. Amphipholis squamata, Fell **27** p. 124 fig. 15.

Amphiura alba p. 126 fig. 22, amokurae p. 126 fig. 21, annulifera p. 125, aster p. 126, eugeniae p. 125, hinemoae p. 125 fig. 18, magellanica p. 125 fig. 20, norae p. 125 fig. 19, praefecta p. 125, pusilla p. 126, rosea p. 125, spinipes p. 126 fig. 16, Fell 27.

†Asteronyx granulosus p. 33 pl. ii figs. H 1-5, pl. iii figs. N, T, simplex p. 34 pl. ii figs. G 1-5, spp. n. Cretaceous Rügen I., MÜLLER Geologica Berlin 5.

Astrobrachion constrictum, Fell 27 p. 5 figs. 1B, 6.

Astroceras elegans, Fell 27 p. 122.

Astroporpa wilsoni, Fell 27 p. 122 fig. 4.

Astrotoma benhami p. 122, waitei p. 122 figs. 1A, 5, Fell 27.

Gorgonocephalus chilensis, Fell 27 p. 122 fig. 3.

†Hexura gen. n. for type H. weitzi sp. n. Devonian S. Africa, Spencer S. Afr. J. Sci. Johannesburg 46 p. 300 figs. 1-5.

Odontaster, Mann 56 p. 196 fig. 58.

Ophiactis hirta p. 124, profundi p. 124, resiliens p. 124 fig. 14, Fell 27.

Ophiarthrum elegans, CLARK 15 p. 66.

†Ophiaxina gen. n. for type O. intercarinata sp. n. Cretaceous Rügen I., MÜLLER Geologica Berlin 5 p. 33 pt. ii figs. F 1-5.

Ophiocentrus novae-zealandiae, Fell 27 p. 124.

Ophioceres huttoni, Fell 27 p. 123.

Ophiocoma erinaceus p. 64, insularia var. variegata p. 65, O. pica p. 64, scolopendrina p. 64, Clark 15.—O. bollonsi, Fell 27 p. 123 fig. 10.

†Ophioderma arkonensis p. 32 pl. i figs. Č 1-5, pl. iii figs. P, V, rugensis p. 32 pl. i figs. A 1-5 spp. n. Cretaceous Rügen I., MÜLLER Geologica Berlin 5.

Ophiomastix annulosa, Clark 15 p. 65.

Ophiomyxa brevirima p. 121 fig. 2, duskiensis p. 121, Fell 27.

Ophionephthys stewartensis, Fell 27 p. 124 fig. 13.

Ophionereis fasciata p. 124 fig. 12, novaezelandiae p. 124, Fell 27.

Ophiopezella spinosa, Clark 15 p. 66.

Ophiopteris antipodum. Fell 27 p. 123 fig. 9.

Ophioscolex prolifer, Fell 27 p. 121.

Ophiothrix longipeda, Clark 15 p. 64.— O. aristulata p. 123 fig. 11, oliveri p. 123, Fell 27.

Ophiozonella megaloplax, Fell 27 p. 123.

Ophiozonoida picta, Fell 27 p. 123.

Ophiura rouchi, Mann **56** p. 203 fig. 65, p. 237 fig. 90, p. 252 fig. 99.

†Ophiura tener sp. n. Cretaceous Rügen I., MÜLLER Geologica Berlin 5 p. 32 pl. i figs. B 1-5, pl. iii figs. K, O, S.

Pectinura cylindrica p. 123, gracilis p. 123, maculata p. 122 fig. 7, Fell 27.

†Schizospondylus gen. n. for type S. jasmundiana sp. n. Cretaceous Rügen I., MÜLLER Geologica Berlin 5 p. 32 pl. i figs. D 1-5.

†Transspondylus gen. n. for type T. bubnoffi sp. n. Cretaceous Rügen I., MÜLLER Geologica Berlin 5 p. 33 pl. ii figs. E 1-5, pl. iii figs. L, R, U.

CRINOIDEA

†Crinoid stems and plates, Chronic 14 p. 172 pl. xxxv figs. 6-12.

Aglaometra incerta, Fell 30 p. 82 fig. 13.

†Allagecrinus copani sp. n. Carboniferous U.S.A., Strimple Bull. Amer. Paleont. Ithaca 32 1949 pp. 271–272 pl. xxxvii figs. 1–7.

†Allosocrinus gen. n. p. 267 for type A. bronaughi sp. n. Carboniferous U.S.A., STRIMPLE Bull. Amer. Paleont. Ithaca 32 1949 pp. 268–269 pl. xxxvi figs. 1–4.

†Ampelocrinus erectus sp. n. Carboniferous U.S.A., STRIMPLE Bull. Amer. Paleont. Ithaca 32 1949 pp. 266-267 pl. xxxvi figs. 5-6.

†Anemetocrinus ardrossensis pl. vii figs. 3-4, 6, biserialis p. 24 pl. vii figs. 1-2, 5, 8-9, covensis pl. vii fig. 7, pentonensis pl. vii fig. 10, WRIGHT 108.

†Antedon sp., Balavoine 3 p. 49 pl. ii B figs. 1–2.

†Apographiocrinus arcuatus sp. n. Carboniferous U.S.A., Strimple Bull. Amer. Paleont. Ithaca 32 1949 pp. 256–258 fig. 1, pl. xxxiii figs. 1–10.

Argyrometra mortenseni, Fell 30 p. 84 fig. 3.

†Ascocystis see sub Cystidea.

†Bactrocrinus fusiformis, Sieverts-Doreck 90 p. 82 figs. 2–4.

†Barycrinus ribblesdalensis, WRIGHT 108 p. 1 pl. i figs. 4-10.

†Cadocrinus timaricus, Yakovlev 111 p. 93 fig. vi.

Charitometra basicurva p. 84 fig. 2, incisa p. 84 fig. 10, Fell 30.

†Cibolocrinus punctatus, Plummer 75 p. 53 pl. xi figs. 9–10.

†Cleiocrinus regius, UBAGHS 98 p. 119 fig. 7.

Comanthus benhami p. 82 fig. 12, novaezelandiae p. 82, Fell 30.

†Ctenocrinus mesodevonicus nom. n. for C. gracilis Wachsmuth & Springer 1897 non C. gracilis Jackel 1895, UBAGHS Bull. Mus. Hist. nat. Belg. 21 1945 p. 2 footnote 5 [omitted in error from Zool. Rec. 82 1945.]

†Delocrinus extraneous pp. 275–276 pl. xxxix figs. 1-3, separatus pp. 276– 277 pl. xxxix figs. 4-7, spp. n. Carboniferous U.S.A., Strimple Bull. Amer. Paleont. Ithaca 32 1949.

Diplocrinus alternicirrus, Fell 30 p. 81 fig. 11.

†Endelocrinus petalosus sp. n. Carboniferous U.S.A., STRIMPLE Bull. Amer. Paleont. Ithaca 32 1949 pp. 274—275 pl. xxxviii figs. 1–4.—E. tumidus subsp. spinosus subsp. n. Carboniferous U.S.A., STRIMPLE J. Paleont. Menasha, Wis. 24 p. 112; E. tumidus holotype designated, Id. p. 112.

†Ethelocrinus texasensis, Plummer 75 p. 53 pl. xi fig. 8.

†Exocrinus gen. n. p. 259 for type E. multirami sp. n. Carboniferous U.S.A., STRIMPLE Bull. Amer. Paleont. Ithaca 32 1949 pp. 260–262 pl. xxxiv figs. 5–7, pl. xxxv figs. 4–5; E. desmoinesensis p. 262 pl. xxxiv figs. 3–4, 8, pullium pp. 264–265 pl. xxxv figs. 6–8, virgilensis pp. 263–264 pl. xxxv figs. 9–10, wanni pp. 262–263 pl. xxxiv figs. 1–2, pl. xxxv figs. 1–3, spp. n. Carboniferous U.S.A., ID.

†Fifeocrinus tielensis, WRIGHT 108 p. xxx text-fig. 1.

Glyptometra inaequalis, Fell 30 p. 84 fig. 4.

†Hemiindocrinus sp., Yakovlev 110 p. 897 fig. 1 II.

†Hexacrinus elongatus, Sieverts-Doreck 90 p. 80 fig. 1.

Hypalocrinus naresianus, Fell 30 p. 81 figs. 7-8.

†Hypocrinus schneideri, Haaf 36 p. 891 figs. 1–4.

†Indocrinus phylogenetic relationship with Ulocrinus, Yakovlev 110 p. 897.— I. crassus fig. iv, rimosus fig. v, Yakov-Lev 111 p. 93. †Lasanocrinus altamontensis sp. n. Carboniferous U.S.A., STRIMPLE J. Paleont. Menasha, Wis. 24 pp. 573-574 pl. lxxvii figs. 5-8.

†Lodanella mira, Gross 34 p. 40 fig. 1.

†Marsipocrinus concavus, Yakovlev 111 p. 93 fig. vii.

Metacrinus nodosus p. 81, wyvillii p. 81 fig. 9, Fell 30.

†Ophiurocrinus hebdenensis sp. n. Carboniferous England, WRIGHT Mon. Carb. Crinoidea Pal. Soc. Lond. pp. 23-24 pl. vi figs. 4—5; arbiglandensis p. 22 pl. vi fig. 8, beggi p. 22 pl. vi fig. 6, dactyloides p. 20 pl. vi figs. 1—3, 7, ID.

†Parisocrinus radiatus, WRIGHT 108 p. 17 pl. v figs. 1, 5, 9.

†Parulocrinus? sp., Chronic 14 p. 172 pl. xxxv figs. 5-6.

Pentametrocrinus semperei, Fell 30 p. 81 fig. 6.

†Platycrinus? sp., Plummer 75 p. 88 pl. xix fig. 14.

†Plaxocrinus omphaloides, Plummer 75 p. 97 pl. xxi fig. 15.

†Poteriocrinites robustus sp. n. ex Austin MS. Carboniferous England, WRIGHT Mon. Carb. Crinoidea Pal. Soc. Lond. pp. 10–11 pl. v figs. 2–3; crassus p. 2 pl. ii figs. 2, 4–8, 12–17, pl. iii fig. 7, pl. v fig. 4, isacobus p. 9 pl. v fig. 6, P.? magnus p. 9 pl. iii fig. 4, P. plicatus p. 7 pl. ii figs. 10–11, pl. iv, quinquangularis p. 11 pl. v figs. 7–8, 10, ID...—P. sp., LAKEMAN 49 p. 104 fig. 3.

†Proindocrinus piszowi, YAKOVLEV 110 p. 897 fig. 1, III-IV.

†Rhabdocrinus swaledalensis sp. n. Carboniferous England, WRIGHT Mon. Carb. Crinoidea Pal. Soc. Lond. pp. 16–17 pl. i figs. 1–3; pentonensis p. 16 pl. ii fig. 3, scotocarbonarius p. 13 text-figs. 2–4, pl. ii figs. 1, 9, 18, pl. iii figs. 1–3, 5–6, 8–21, ID.

Saracrinus varians, Fell 30 p. 81.

†Scyphocrinus excavatus var. schlotheimi fig. i, var. schluteri fig. ii, S. mariannae fig. iii, Yakovlev 111 p. 93.

†Spyridiocrinus p. 108 fig. 8 (pars), S. cheuxi p. 109 figs. 2-6, pl. vii figs. 1-6, S. tirlensis p. 109 fig. 1, Ubaghs 98.

Stephanometra indica protectus, S. spicata, spinipinna, Clark 15 p. 62.

Stiremetra breviradia, Fell 30 p. 82 fig. 5.

Thalassometra echinata, Fell 30 p. 82 fig. 1.

Thaumatometra alternata, Fell 30 p. 84 fig. 14.

†Timorocidaris sphaeracantha, LAKE-MAN 49 p. 100 figs. 1-2, 4-8.

†Ulocrinus caverna sp. n. Carboniferous U.S.A., Strimple Bull. Amer. Paleont. Ithaca 32 1949 pp. 273-274 pl. xxxviii figs. 5-8.—U. globulus, Yakovlev 110 p. 897 figs. 1 I, 2.

†Utharocrinus fabulosus pp. 572-573 pl. 1xxvii figs. 1-4, facilis pp. 571-572 pl. 1xxvii figs. 11-12, 18-20, habitus p. 572 pl. 1xxvii figs. 13-16, spinosus p. 573 pl. 1xxvii figs. 9-10, 17, spp. n. Carboniferous U.S.A., STRIMPLE J. Paleont. Menasha, Wis. 24.

†Vicetiametra gen. n. for type V. albertinii sp. n. Paleogene Italy, MALA-RODO Riv. ital. Palaeont. Milano 56 pp. 6-11 pl. i figs. 1-5.

†MACHAERIDIA

Plumulites and ouilleens is sp. n. Ordovician France, Chauvell Mém. Soc. géol. min. Bretagne 5 1941 pp. 259–262 fig. 99, pl. iv figs. 12–14; fraternus p. 262, P. spp. p. 264 fig. 100, ID.

†CYSTIDEA

Aristocystis p. 50 with bohemicus p. 54 figs. 17-24, pl. v fig. 2, cf. bohemicus p. 64 pl. iii fig. 3, A. ? desideratus p. 66, A. ? potens p. 67 fig. 25, pl. v fig. 5, A. sinica p. 69, subcylindricus p. 65 pl. v fig. 3, Chauvell 11.

Ascocystis? cuneiformis sp. n. Ordovician France, Chauvel Mém. Soc. géol. min. Bretagne 5 1941 pp. 118-119 fig. 47.

Calix lebescontei p. 83 pl. i fig. 3, purkyněi p. 82 pl. i fig. 4, rouaulti p. 78 figs. 27–30, pl. iii fig. 4 with var. buchoti p. 81 fig. 31, C. sedgwicki pp. 29, 75 figs. 4–13, pl. i figs. 1–2, pl. ii figs. 3–4, C. spp. pp. 85–86 figs. 32–33, pl. ii figs. 5–6, Chauvel 11.

Carpocystis soyei, Chauvel 11 p. 87 fig. 34.

Craterina armoricana sp. n. Ordovician France, Chauvel Mém. Soc. géol. min. Bretagne 5 1941 pp. 109-112 figs. 44-45, pl. iii fig. 6; bohemica p. 99 fig. 39, pl. vi fig. 1, idealis p. 108, moneta p. 102 figs. 40-43, pl. iii fig. 5, pl. v fig. 1, ID.

Echinoencrinites senckenbergii, Regnúll 78 pp. 259–267 figs. 2–3.

Hippocystis batheri sp. n. Ordovician Bohemia, CHAUVEL Mém. Soc. géol. min. Bretagne 5 1941 pp. 70-74 fig. 26, pl. v fig. 4.

Pachycalix halli, Chauvel 11 p. 47 figs. 14-16, pl. ii figs. 1-2.

Tholocystis gen. n. for type T. kolihai sp. n. Ordovician France, Chauvel Mém. Soc. géol. min. Bretagne 5 1941 pp. 88-98 figs. 35-36, 37a, 38a-c, pl. iii figs. 1-2.

Tiaracrinus soyei, Chauvel 11 p. 115 fig. 46.

†CARPOIDEA

Anatiferocystis gen. n. p. 206 for type A. barrandei sp. n. Ordovician Bohemia, Charvel Mém. Soc. géol. min. Bretagne 5 1941 pp. 207-209 figs. 84-85, pl. vi figs. 10-12; A. barrandei var. minuta var. n. Ordovician France, ID. pp. 209-210 fig. 86, pl. iv fig. 5.

Anomocystis ensifer, Chauvel 11 p. 217.

Balanocystis lagenula, CHAUVEL 11 p. 210 figs. 87-88, pl. iv figs. 6-7.

Lagynocystis pyramidalis, Chauvel 11 p. 200 figs. 77-83, pl. iv figs. 3-4.

Mitrocystella barrandei p. 177 figs. 63-64, 65c, 66, pl. vi fig. 3, incipiens incipiens pp. 151, 174 fig. 62, pl. vi fig. 2, incipiens miloni pp. 151, 176 figs. 54-59, pl. iii figs. 7-9, pl. iv fig. 1, Chauvel 11.

Mitrocystis osekensis sp. n. Ordovician Bohemia, Chauvel Mém. Soc. géol. min. Bretagne 5 1941 pp. 195-196 fig. 74, pl. vi fig. 9; mitra with vars. dobro-

tivaensis pp. 187–189 fig. 71a, pl. vi fig. 7, hanusi pp. 190–194 fig. 72, pl. vii figs. 1–7, kloučeki pp. 189–190 fig. 71b, pl. vi fig. 8, and major p. 187 pl. vi fig. 6 vars. n. Ordovician Bohemia, ID.; M. lata p. 194 fig. 73, mitra mitra p. 182 figs. 67–70, pl. vi figs. 4–5, M. riadanensis p. 196 fig. 75, pl. iv fig. 2, cf. riadanensis p. 198 fig. 76, M.? sp. p. 199, ID.

Placocystis bohemicus, Chauvel 11 p. 215 fig. 89, pl. vii fig. 8.

†EDRIOASTEROIDEA

Anglidiscus gen. n. for type Lepidodiscus fistulosus Anderson 1939 Carboniferous England, Regnéll Kungl. Fysio. Sällsk. Lund Forh. 20 20 p. 219 fig. 2.

Lepidodiscus ephraemovianus, Reg-NÉLL 77 p. 2 fig. 1.

†BLASTOIDEA

Codaster alternatus p. 159 pl. xxvii figs. 3–10, 13–14, americanus p. 171 pl. xxviii figs. 17–18, 22–25, pyramidatus p. 167 pl. xxviii figs. 1–2, 11–12, 15–26, pl. xxviii figs. 14–15, 19, 26–34, robustus p. 170 pl. xxviii figs. 1–13, 20–21, pyramidatus-robustus transition form p. 164 pl. xxviii fig. 16, CLINE & HEUER 16.

Pentremitella gen. n. for type P. osoleae sp. n. Devonian Germany, LEHMANN N. Jahrb, Min. Geol. Paläont. Stuttgart Monatsh. B 1949 pp. 186-191 figs. 1-7.

INCERTAE SEDIS

†Anatifopsis armoricana pp. 267–268 fig. 101, pl. iv figs. 8–9, guichenensis pp. 269–270 pl. iv fig. 10, traveusotensis pp. 268–269 pl. iv fig. 11, spp. n. Ordovician France, Chauvel Mém. Soc. géol. min. Bretagne 5 1941; A. sp., ID. p. 270. [Probably Cirrepede, but possibly Machaeride.]

